

## **Products Affected**

febuxostat 40mg tab

## **Details**

---

Criteria      Step Therapy requires trial of generic allopurinol.

## **Products Affected**

febuxostat 80mg tab

## **Details**

---

|          |   |
|----------|---|
| Criteria | Step Therapy requires trial of generic allopurinol. |
|----------|---|

## **Products Affected**

LEVALBUTEROL 45MCG/ACT INHALER

## **Details**

---

|          |   |
|----------|---|
| Criteria | Step Therapy requires trial of a formulary albuterol HFA product. |
|----------|---|

## **Products Affected**

PROLIA 60MG/ML SYRINGE

## **Details**

---

|          |  |
|----------|--|
| Criteria | Step Therapy requires trial of one (1) formulary bisphosphonate. Step not required for the treatment of: 1) Bone loss in men receiving androgen deprivation therapy for prostate cancer or 2) Bone loss in women receiving adjuvant aromatase inhibitor therapy for breast cancer. |
|----------|--|

## **Products Affected**

TRINTELLIX 10MG TAB

## **Details**

---

|          |  |
|----------|--|
| Criteria | Step therapy requires trial of one of the following generic antidepressants: escitalopram, sertraline, fluoxetine, citalopram, paroxetine, fluvoxamine, bupropion, venlafaxine, desvenlafaxine, or duloxetine. |
|----------|--|

## **Products Affected**

TRINTELLIX 20MG TAB

## **Details**

---

|          |  |
|----------|--|
| Criteria | Step therapy requires trial of one of the following generic antidepressants: escitalopram, sertraline, fluoxetine, citalopram, paroxetine, fluvoxamine, bupropion, venlafaxine, desvenlafaxine, or duloxetine. |
|----------|--|

## **Products Affected**

TRINTELLIX 5MG TAB

## **Details**

---

|          |  |
|----------|--|
| Criteria | Step therapy requires trial of one of the following generic antidepressants: escitalopram, sertraline, fluoxetine, citalopram, paroxetine, fluvoxamine, bupropion, venlafaxine, desvenlafaxine, or duloxetine. |
|----------|--|

## **Products Affected**

XOPENEX 45MCG INHALER

## **Details**

---

|          |   |
|----------|---|
| Criteria | Step Therapy requires trial of a formulary albuterol HFA product. |
|----------|---|